ELSEVIER

Marine Chemistry 62 (1998) 355–356

MARINE CHEMISTRY

Contents

Marine Chemistry, Vol. 62 (1998)

Research Papers

$^{11}B/^{10}B$ variations of dissolved boron in a freshwater–seawater mixing plume (Elbe Estuary, North Sea)
S. Barth 1

Lead-210 as a tracer of atmospheric input of heavy metals in the northern Venice Lagoon
J.K. Cochran, M. Frignani, M. Salamanca, L.G. Bellucci and S. Guerzoni 15

Carbonate system response to iron enrichment
P.A. Steinberg, F.J. Millero and X. Zhu 31

Molecular weight distribution of dissolved organic carbon in marine sediment pore waters
D.J. Burdige and K.G. Gardner 45

Potential interactions between sedimentary dissolved organic matter and mineral surfaces
C.A. Thimsen and R.G. Keil 65

Benthic fluxes of nutrients in the northwestern Black Sea
G. Friedl, C. Dinkel and B. Wehrli 77

Carbonyl sulfide (OCS) and carbon monoxide (CO) in natural waters: evidence of a coupled production pathway
W.H. Pos, D.D. Riemer and R.G. Zika 89

On obtaining high-precision measurements of oceanic pCO_2 using infrared analyzers
P.P. Murphy, R.A. Feely and R. Wanninkhof 103

Evaluation of two cross-flow ultrafiltration membranes for isolating marine organic colloids
M. Dai, K.O. Buesseler, P. Ripple, J. Andrews, R.A. Belastock, Ö. Gustafsson and S.B. Moran 117

Ultraviolet fluorescence excitation and emission spectroscopy of marine algae and bacteria
S. Determann, J.M. Lobbes, R. Reuter and J. Rullkötter 137

Impact of seasonal hypoxia on diagenesis of phytol and its derivatives in Long Island Sound
M.-Y. Sun, S.G. Wakeham, R.C. Aller and C. Lee 157

Trace metals study in the Outer Songkla Lake, Thale Sap Songkla, a southern Thai estuary
W. Sirinawin, D.R. Turner, S. Westerlund and P. Kanatharana 175

Trace metal distributions across the continental shelf near Otago Peninsula, New Zealand
P.L. Croot and K.A. Hunter 185

The complexation of 'dissolved' Cu, Zn, Cd and Pb by soluble and colloidal organic matter in Narragansett Bay, RI
M.L. Wells, P.B. Kozelka and K.W. Bruland 203

Molecular masses and chromophoric properties of dissolved organic ligands for copper(II) in oceanic water
T. Midorikawa and E. Tanoue 219

Variation in Fe-organic complexation with depth in the Northwestern Atlantic Ocean as determined using a kinetic approach
A.E. Witter and G.W. Luther III 241

The distribution and preferential biological uptake of cadmium at 6°W in the Southern Ocean
B.M. Löscher, J.T.M. de Jong and H.J.W. de Baar 259

Manganese(II) partitioning during experimental precipitation of rhodochrosite–calcite solid solutions from aqueous solutions
M.E. Böttcher 287
The effects of water content and Mn-fiber surface conditions on ^{224}Ra measurement by ^{220}Rn emanation
Y. Sun and T. Torgersen 299
Seasonal variability of amino acid flux and composition of particulate matter in the Northeast Atlantic at 47°N–20°W
U. Lundgreen and J.C. Duinker 307
Simultaneous determination of dissolved organic carbon and total dissolved nitrogen in seawater by high temperature catalytic oxidation: conditions for precise shipboard measurements
X.A. Álvarez-Salgado and A.E.J. Miller 325
Fe (III) speciation in the high nutrient, low chlorophyll Pacific region of the Southern Ocean
R.F. Nolting, L.J.A. Gerringa, M.J.W. Swagerman, K.R. Timmermans and H.J.W. de Baar 335

Author Index, Vol. 62 353

Contents Vol. 62 355